

TC-65 / TC-80 TRACKED CONVEYORS



TC-80

	TC-65	TC-80
Conveyor Length:	20m (65'7")	23.5m (77')
Belt Width:	1.05m (42")	1.05m (42")
Net Engine (Tier 3) Power:	36.4kW (49hp)	36.4kW (49hp)
Max Discharge height:	10m (32'10") @ 28°	10.5m (34'6") @ 28°

WORKS FOR YOU.TM

TC-65 TRACKED CONVEYOR



STANDARD FEATURES

CONVEYOR

Conveyor Length	20m	65'7"
Belt Width	1050mm	42"
Conveyor Drive	Hydraulic	800cc
Discharge Height @ 24°	8.7m	28'6"
Max Discharge Height @ 28°	10m	32'10"
Capacity	Up to 400 TPH	
Hydraulic Folding Head Section		
Belt Type	Plain: 3 Ply	

POWERUNIT

Diesel Hydraulic		
Engine (Tier 3)	Deutz D2011 L04I - 36.4kW (49hp)	
Fuel Tank Volume	200 litres	
Hydraulic Oil Cooler	Standard	

CHASSIS

Tracks	2.9m centres x 400mm shoe	
2 Speed Track Motor		
Lower Speed	0.9Km/h	
Higher Speed	1.6Km/h	

CURRENT OPTIONS

Engine (Stage IIIB/Tier 4F - US Only) Deutz TD2.9 L4 - 41kW (56hp)
Feed Boot Liners: AR 400 Plate or 20mm Rubber
Feed Boot Extension
Chevron Belt
Blade Scraper
Head Drum Guards
Under Guards
Dust Covers
Dust Suppression Water Spray at Head Drum
Conveyor Drive - Direct Electric
Full Length Skirting

TRANSPORT DIMENSIONS



MACHINE WEIGHT: 11,300kg (24912lbs)

TC-80 TRACKED CONVEYOR



STANDARD FEATURES

CONVEYOR

Conveyor Length	23.5m	77'
Belt Width	1050mm	42"
Conveyor Drive	Hydraulic	800cc
Discharge Height @ 24°	10.2m	33'6"
Max Discharge Height @ 28°	10.5m	34'6"
Capacity	Up to 400 TPH	
Hydraulic Folding Head Section		
Belt Type	Plain: 3 Ply	

POWERUNIT

Diesel Hydraulic	
Engine (Tier 3)	Deutz D2011 L041 - 36.4kW (49hp)
Fuel Tank Volume	200 litres
Hydraulic Oil Cooler	Standard

CHASSIS

Tracks	2.9m centres x 400mm shoe
2 Speed Track Motor	
Lower Speed	0.9Km/h
Higher Speed	1.6Km/h

CURRENT OPTIONS

Engine (Stage IIIB/Tier 4F - US Only) Deutz TD2.9 L4 - 41kW (56hp)
Feed Boot Liners: AR 400 Plate or 20mm Rubber
Feed Boot Extension
Chevron Belt
Blade Scraper
Head Drum Guards
Under Guards
Dust Covers
Dust Suppression Water Spray at Head Drum
Conveyor Drive - Direct Electric
Full Length Skirting

TRANSPORT DIMENSIONS



MACHINE WEIGHT: 13,100kg (28880lbs)



TC-65

Huge stockpiling capacities

Hydraulic adjustment for variable feed height reduces impact and provides optimal material transfer.

Can be fed by any primary / secondary Crusher or Screener.

Hydraulic angle adjustment from 0° to 28° for easy plant integration.*

Eliminate/ reduce need for wheel loader on-site.

Follow us on:



TEREX | **FINLAY** **WORKS FOR YOU.**[™]



Terex Finlay

I over 50 år har Terex Finlay produceret mobile knusere og sorteringsanlæg. Deres sortiment tæller over 30 forskellige maskinmodeller, og maskinerne er af høj kvalitet, som bl.a. henvender sig til råstofbranchen samt nedbrydningselskaber og anlægsentreprenører.

Vi har i Meldgaard Handel A/S i en periode været på udkig efter en leverandør, der kunne fuldende vores i forvejen omfattende produktprogram. Med Terex Finlay kan vi nu tilbyde alt indenfor knusning og sortering. Vi er blevet et endnu større "kraftcenter" omkring udvalg og rådgivning indenfor knusning og sortering som tilbage i 90'erne har været grundstenene i vores forretning.



Meldgaard Handel A/S

Meldgaard Handel A/S har siden starten af 90'erne specialiseret sig i anlæg til nedbrydning, knusning og sortering af affald og naturmaterialer. Løbende er vores udvalg af maskiner til industrien blevet opdateret og udvidet, så vi i dag har nogle af de mest innovative og professionelle agenturer indenfor branchen.

Ved at vi i mere end 20 år har fulgt den hastige udvikling har vi opbygget en værdifuld erfaring, som sikrer et meget højt serviceniveau og en grundig rådgivning. Da Meldgaard Gruppen selv arbejder med affaldshåndtering, har vi en omfattende intern knowhow, som vi drager stor nytte af i en branche, hvor rådgivning af kunderne er meget vigtig. Det kræver en dyb indsigt i markedet at sikre, at kunden får det rigtige anlæg med de rigtige egenskaber og den rigtige kapacitet.

Om det er et sorteringsanlæg til kompost, muld, brokker, asfalt, slagge, sten og grus eller affald generelt har vi en løsning. Hvis opgaven er at knuse eller neddele armeret beton, asfalt, tegl, skærver, natursten, affaldstræ, have/park affald mv. er vi ligeledes specialiserede i at tilbyde den rigtige løsning.

Vi er ligesom resten af organisationen meget opmærksomme på vores sociale ansvar, og er ofte involveret i rådgivning og levering af maskiner til katastroferamte områder i udlandet bl.a. til Haiti efter jordskælvet i 2010.

Derudover har vi gennemført flere udviklingsprojekter bl.a. i de baltiske lande og i Kosovo, hvor der har været et behov for knusning af nedbrydningsmaterialer efter krigshandlinger.

meldgaard

Handel A/S

Askelund 10 • DK 6200 Aabenraa • Tlf. +45 74 33 72 00 • handel.meldgaard.com